

COMMITTEE REPORT

Mr. Speaker: Pursuant to Joint Rule 20, your Committee on Rules and Legislative Procedures, to which was referred Engrossed House Bill 1029 because it conflicts with SEA 213-2002 without properly recognizing the existence of SEA 213-2002, has had Engrossed House Bill 1029 under consideration and begs leave to report back to the House with the recommendation that Engrossed House Bill 1029 be corrected as follows:

- 1 Page 1, line 1, after "IC 16-18-2-33.5" insert ", AS
- 2 AMENDED BY SEA 213-2002, SECTION 3,".
- 3 Page 1, between lines 15 and 16, begin a new line block
- 4 indented and insert:
- 5 "(10) Administration by an emergency medical technician
- 6 of epinephrine through an auto-injector."
- 7 Page 1, line 16, delete "(10)" and insert "(11)".
- 8 Page 2, line 3, delete "The" and insert "Except as provided
- 9 in subsection (a)(10) **and by the training and certification**
- 10 **standards established under IC 16-31-2-9(5), the**".
- 11 Page 2, line 6, delete "P.L.156-2001," and insert "SEA 213-
- 12 2002, SECTION 4,".
- 13 Page 2, line 7, delete "SECTION 2,".
- 14 Page 2, between lines 15 and 16, begin a new line block
- 15 indented and insert:
- 16 "(4) Training and certification standards for the
- 17 administration of epinephrine through an auto-injector by:
- 18 (A) an emergency medical technician; or

- 1 (B) an advanced emergency medical technician."
- 2 Page 2, line 16, delete "(4)" and insert "(5)".
(Reference is to EHB 1029 as printed February 20, 2002.)

Representative Moses, Chairperson

Representative Munson, R.M.M.

Representative Grubb, Author